


Student Housing

Finishes, pulls & textiles guide



Casegood finish

Matching edgebanding available



F008
Bianco



F269
Maritime Dune



F249
Sandalwood



F037
Maple



F036
Northern Oak



F038
Natural Oak




F258
Rustic Walnut



F068
Wild Cherry



F165
Modern Walnut




F006
Graphite




F762
Shadow Oak

Accent Finish

Casegood finishes can also be used as accent finishes
Accent finishes are available for door and drawer fronts



F012
Aluminum



F003
Pure Black

Wood finish

Available for chairs, barstools and table legs



F037
Maple



F038
Natural Oak




F068
Wild Cherry



F165
Modern Walnut

Metal Finish




M010-ST
Aria Grey



M003-ST
Black

Stone finish


Available for vanity and kitchenette countertops



ST-002



ST-040



ST-039



ST-023



ST-027



Pulls

Grade 1



PG1-165
Arno Silver

Length	4.5"
Finish	Brushed Nickel



PG1-167
Arno Black

Length	4.5"
Finish	Black Nickel



PG1-142
Short Tubular

Length	5.25"
Finish	Brushed Nickel



PG1-152
Black Short Tubular

Length	5.25"
Finish	Black Nickel



PG1-104
Silver Half Moon

Length	4.5"
Finish	Nickel



PG1-110
Black Half Moon

Length	4.5"
Finish	Black Nickel



PG1-163
C-Handle

Length	4.13"
Finish	Brushed Nickel



Pulls

Grade 2




PG1-105
Silver Foliot

Length	4.5"
Finish	Brushed Nickel



PG1-107
Black Foliot

Length	4.5"
Finish	Black Nickel



PG1-144
Weld

Length	3.94"
Finish	Brushed Nickel



PG1-115
Reva

Length	19.5"
Finish	Aluminum



PG1-113
Short Holm

Length	6.25"
Finish	Satin Nickel



PG1-111
Holm

Length	13"
Finish	Satin Nickel



PG1-170
Silver Gate

Length	10.5"
Finish	Brushed Nickel



PG1-171
Black Gate


Length	10.5"
Finish	Black Nickel



Heritage • Grade 4



Navy



Ash




Grey




Black



Oatmeal



Caribbean



Mango




Red

FIBER	100% Polyester
ABRASION	130,000 Double Rubs
CLEANING CODE	S
FLAMMABILITY	• California Technical Bulletin 117-2013 • UFAC Class 1 • NFPA 260 Class 1

- Customer’s own fabric selection (COM) is available.
- Inquire with your Foliot sales manager regarding process.
- In stock option.

Zenith • Grade 4



Blue



Dove



Grey



Agate



Ebony



Ecru



Nude



Garnet



Walnut




Desert Palm

FIBER	• 65% Polyurethane • 25% Polyester • 10% Viscose
ABRASION	130,000 Double Rubs
CLEANING CODE	W
FLAMMABILITY	• California Technical Bulletin 117-2013 • UFAC Class 1 • NFPA 260 Class 1

- Customer’s own fabric selection (COM) is available.
- Inquire with your Foliot sales manager regarding process.
- In stock option.


Other Textiles • Grade 4

Available with COM fabrics and vinyls upon request
Limited stock availability




Linen Cashmere

FIBER	100% Vinyl
BACKING	100% Brushed Polyester Knit
ABRASION	110,000 Double Rubs
CLEANING CODE	WS
FLAMMABILITY	• California Technical Bulletin 117-2013 • NFPA 260 class 1




Desert Oak

FIBER	100% Polyurethane
FINISH	NANOTEX™
ABRASION	200,000 Double Rubs
CLEANING CODE	WS
FLAMMABILITY	• California Technical Bulletin 117-2013 • NFPA 260 Class 1



Tweedy

FIBER	100% Polyester
ABRASION	100,000 Double Rubs
CLEANING CODE	S
FLAMMABILITY	• California Technical Bulletin 117-2013



ASG Role Texture

FIBER	100% Polyester
ABRASION	50,000 Double Rubs
CLEANING CODE	S
FLAMMABILITY	• California Technical Bulletin 117-2013



D-4185 Feather

FIBER	100% Olefin
ABRASION	60,000 Double Rubs
CLEANING CODE	WS
FLAMMABILITY	• California Technical Bulletin 117-2013




Bayou

FIBER	100% Polyester
ABRASION	80,000 Double Rubs
CLEANING CODE	S
FLAMMABILITY	• California Technical Bulletin 117-2013


Other Textiles • Grade 4

Available with COM fabrics and vinyls upon request
Limited stock availability



Port of Spain

FIBER	• 87% Polyester • 13% Acrylic
ABRASION	60,000 Double Rubs
CLEANING CODE	S
FLAMMABILITY	• California Technical Bulletin 117-2013




Vinyl Copper

FIBER	• 80% Polyester • 20% Cotton
ABRASION	30,000 Double Rubs
CLEANING CODE	S
FLAMMABILITY	• California Technical Bulletin 117-2013




Vinyl Star Brushed Bronze

FIBER	• 80% Polyester • 20% Cotton
ABRASION	30,000 Double Rubs
CLEANING CODE	S
FLAMMABILITY	• California Technical Bulletin 117-2013



Flora Rose


FIBER	• 81% Polyester • 19% Acrylic
ABRASION	65,000 Double Rubs
CLEANING CODE	S
FLAMMABILITY	• California Technical Bulletin 117-2013




Sky Chevron

FIBER	100% Polyester
ABRASION	50,000 Double Rubs
CLEANING CODE	S
FLAMMABILITY	• California Technical Bulletin 117-2013


Sherpa • Grade 6




Academy Blue




Amber




Snappy




Grey Heather



Newport



Teal



Jade




Navy




Black

FIBER	100% Marquésa Lana
FINISH & BACKING	Acrylic
ABRASION	250,000 Double Rubs
CLEANING CODE	WS
REPEAT	None (Pattern is woven up the roll and suitable for railloading)
FLAMMABILITY	• California Technical Bulletin 117-2013 • CS-191-53, Class 1 • BIFMA X5.7-1991 • UFAC, Class 1


Shire • Grade 6



Paradise




Farm House




Serengeti




Black Cherry




Concrete




Patina



Aqua Tint



Blue Jay



Espresso

FIBER	100% Marquésa Lana
FINISH & BACKING	Acrylic
ABRASION	250,000 Double Rubs
CLEANING CODE	WS
REPEAT	None (Pattern is woven up the roll and suitable for railloading)
FLAMMABILITY	• California Technical Bulletin 117-2013 • CS-191-53, Class 1 • BIFMA X5.7-1991 • UFAC, Class 1

Calvin • Grade 6



Dolphin



Chocolate




Black



Laguna




Tigereye



Wheat Grass




Sunny



Atomic

FIBER	100% Polyester
ABRASION	50,000 Double Rubs
CLEANING CODE	W
FLAMMABILITY	California Technical Bulletin 117-2013


Origin • Grade 8




Eureka




Tide




Clay



Lilac



Indigo




Fir




Basalt

FIBER	100% Post Consumer Recycled Polyester
FINISH & BACKING	Acrylic
ABRASION	282,000 Double Rubs
CLEANING CODE	WS
FLAMMABILITY	• California Technical Bulletin 117-2013 • NFPA 260 Class 1 • UFAC Class 1
REDUCED ENVIRONMENTAL IMPACT	• GREENGUARD Certified • NSF 336 Compliant


Ego • Grade 8




Jade




Midnight




Onyx



Spa



Foil




Galena



Ginger

FIBER	• 85% Polyester • 15% Viscose Rayon
BACKING	Acrylic
ABRASION	250,000 Double Rubs
CLEANING CODE	WS
FLAMMABILITY	• California Technical Bulletin 117-2013 • UFAC Class 1 • NFPA 260 Class 1 • ASTM E84
REDUCED ENVIRONMENTAL IMPACT	• GREENGUARD Certified • NSF 336 Compliant

Fuse • Grade 8




Pristine




Saffron



Ginger



Iris



Cress




Pepper




Azurean

FIBER	• 65% Post Industrial Recycled Polyester • 35% Post Consumer Recycled Polyester
BACKING	Latex
ABRASION	100,000 Double Rubs
CLEANING CODE	WS
FLAMMABILITY	• California Technical Bulletin 117-2013 • UFAC Class 1 • NFPA 260 Class 1
REDUCED ENVIRONMENTAL IMPACT	• GREENGUARD Certified • NSF 336 Compliant • Recycled Fiber Content


Carson CV • Grade 8



Airy




Azure




Buck




Sage



Grafite



Indigo



Shadow

FIBER	•100% Clean Vinyl •Phthalate Free
BACKING	Polyester
ABRASION	500,000 Double Rubs
CLEANING CODE	W
FLAMMABILITY	• California Technical Bulletin 117-2013 • UFAC Class 1 • NFPA 260 Class 1
REDUCED ENVIRONMENTAL IMPACT	• GREENGUARD Certified • NSF 336 Compliant • Singled Source Fiber Content


Graph • Grade 10




Alpine




Ruby



Tidal



Wave



Parrot



Poppy



Alloy



Coal



Anchor

FIBER	• 75% Repreve® Post Consumer Recycled Polyester • 25% Polyester
BACKING	Acrylic
ABRASION	170,000 Double Rubs
CLEANING CODE	W
REPEAT	3-3/8" V, 7-1/2" H
FLAMMABILITY	• California Technical Bulletin 117-2013 • UFAC Class 1 • NFPA 260 Class 1
REDUCED ENVIRONMENTAL IMPACT	• GREENGUARD Certified • NSF 336 Compliant • Recycled Fiber Content

Widget • Grade 10




Cyprus



Anton



Saffron




Bantam



Fog



Currant



Bristol




Baja




Onyx

FIBER	• 83% Post Consumer Recycled Polyester • 17% Post Industrial Recycled Polyester
ABRASION	100,000 Double Rubs
CLEANING CODE	WS
REPEAT	1/2" V, 1/4" H
FLAMMABILITY	• California Technical Bulletin 117-2013 • UFAC Class 1 • NFPA 260 Class 1
REDUCED ENVIRONMENTAL IMPACT	• Recycled Fiber Content • Rapidly Renewable Fiber Content • GREENGUARD Certified • NSF 336 Compliant


Tradition • Grade 12




Wash




Sprout




Soy




Weld




Tango




Spiced



Isle




Hedge




Hidden

FIBER	• 72% Post Consumer Recycled Polyester • 28% Polyester
FINISH & BACKING	C-Zero® / Acrylic
ABRASION	200,000 Double Rubs
CLEANING CODE	WS
REPEAT	1/8" V, 1/8" H
FLAMMABILITY	• California Technical Bulletin 117-2013 • UFAC Class 1 • NFPA 260 Class 1 • ASTM E84
REDUCED ENVIRONMENTAL IMPACT	• Recycled Fiber Content • GREENGUARD Certified • NSF 336 Compliant


Infinity • Grade 12




Aster




Pewter




Maize




Atoll




Beyond



Papaya



Macintosh



Vine



Java

FIBER	• 74% Post Consumer Recycled Polyester • 26% Polyester
FINISH & BACKING	C-Zero® / Acrylic
ABRASION	200,000 Double Rubs
CLEANING CODE	WS
REPEAT	1/8" V, 5/8" H
FLAMMABILITY	• California Technical Bulletin 117-2013 • UFAC Class 1 • NFPA 260 Class 1 • ASTM E84
REDUCED ENVIRONMENTAL IMPACT	• Recycled Fiber Content • GREENGUARD Certified • NSF 336 Compliant


Syntax • Grade 12




Shale




Camel



Turquoise



Hudson



Nectar



Pewter



Cocoa




Violet



Asphalt

FIBER	• 50% Post Consumer Recycled Polyester • 50% Polyester
BACKING	Acrylic
ABRASION	115,000 Double Rubs
CLEANING CODE	WS
REPEAT	6-1/4" V, 7-1/8" H
FLAMMABILITY	• California Technical Bulletin 117-2013 • UFAC Class 1 • NFPA 260 Class 1
REDUCED ENVIRONMENTAL IMPACT	• Recycled Fiber Content • GREENGUARD Certified • NSF 336 Compliant


Cover Cloth • Grade 14




Cyan



Flame




Navel




Sorrel




Bouquet




Graphite



Indigo



Antique



Platinum

FIBER	• 56% Repreve® Post Consumer Recycled Polyester • 44% Polyester
FINISH	
ABRASION	200,000 Double Rubs
CLEANING CODE	W
FLAMMABILITY	• California Technical Bulletin 117-2013 • UFAC Class 1 • NFPA 260 Class 1
REDUCED ENVIRONMENTAL IMPACT	• GREENGUARD Certified • NSF 336 Compliant





Manufacturing Locations

USA

Las Vegas

7000 Placid Street
Las Vegas, Nevada
89119

CANADA

Saint-Jerome

721 Boulevard Roland-Godard
Saint-Jérôme, Quebec
J7Y 4C1

Mirabel

12275 Rue Helen Bristol,
Mirabel, Quebec
J7N 1C7

**made here.
made smart.**